STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



RESULT: Satisfactory Facility Information

Permit Number: 06-48-00063 Name of Facility: Banyan Elementary Address: 8800 NW 50 Street

City, Zip: Sunrise 33351

Type: School (more than 9 months)

Owner: Broward County School Board - Food & Nutrition Services Person In Charge: Martha McNair Phone: 754-322-5260

PIC Email: martha.mcnair@browardschools.com

Inspection Information

Purpose: Routine Number of Risk Factors (Items 1-29): 0 Begin Time: 10:10 AM Inspection Date: 4/14/2025 Number of Repeat Violations (1-57 R): 1 End Time: 10:50 AM

Correct By: Next Inspection FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- NO 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- NO 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- NO 20. Cooling time and temperature
- IN 21. Hot holding temperatures
- N 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records

CONSUMER ADVISORY

NA 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN 26. Pasteurized foods used; No prohibited foods
- ADDITIVES AND TOXIC SUBSTANCES
- **IN** 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

VOK

Form Number: DH 4023 03/18 06-48-00063 Banyan Elementary

Client Signature: moun anch!

1 of 3

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

IN 30. Pasteurized eggs used where required

IN 31. Water & ice from approved source

NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

IN 33. Proper cooling methods; adequate equipment

IN 34. Plant food properly cooked for hot holding

N 35. Approved thawing methods

IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

N 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

IN 38. Insects, rodents, & animals not present

IN 39. No Contamination (preparation, storage, display)

N 40. Personal cleanliness

IN 41. Wiping cloths: properly used & stored

NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

IN 43. In-use utensils: properly stored

IN 44. Equipment & linens: stored, dried, & handled

N 45. Single-use/single-service articles: stored & used

NO 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

OUT 47. Food & non-food contact surfaces (R)

N 48. Ware washing: installed, maintained, & used; test strips

IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

IN 50. Hot & cold water available; adequate pressure

IN 51. Plumbing installed; proper backflow devices

IN 52. Sewage & waste water properly disposed

IN 53. Toilet facilities: supplied, & cleaned OUT 54. Garbage & refuse disposal

IN 55. Facilities installed, maintained, & clean

N 56. Ventilation & lighting

IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #47. Food & non-food contact surfaces

Reach-in freezer door insulation in disrepair, ice build up observed. Repair/replace door insulation, maintain equipment in good repair. Repeated violation.

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #54. Garbage & refuse disposal

Somat dumpster drain plug missing. Replace drain plug

CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.

Inspector Signature:

Form Number: DH 4023 03/18

Client Signature:

06-48-00063 Banyan Elementary

2 of 3

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



General Comments

Employee Food Safety Training/Employee Health policy training completed on 8/9/2024

Food Temps

Milk: 36 F, use-by 4/22

Broccoli: 168 F Rice: 171 F Chicken: 144 F Refrigerator Temps

Reach-in refrigerator: 40 F Reach-in freezer: -10 F Chest freezer: -10 F Milk cooler: 40 F Walk-in refrigerator: 32 F

Walk-in freezer: 10 F, frozen solid

Hot Water Temps

Kitchen handsink: 102 F 3 comp. sink: 112 F Food prep sink: 109 F

Employee bathroom handsink: 116 F

Mopsink: 100 F

Warewashing Procedure/Sanitizer Used

3 comp. sink chemical sanitizer: 700 ppm DDBSA / 1875 ppm Lactic Acid Wet wiping sanitizing bucket: 700 ppm DDBSA / 1875 ppm Lactic Acid

Sanitizer Test kit provided. Probe Food Thermometer

Thermometer calibrated at 32F.

Pest Control

Pest Control service provided by Tower Pest Control, last service 3/17/2025

Non-Service Animals

No dogs or non-service animals allowed inside establishment.

Email Address(es): martha.mcnair@browardschools.com

Inspection Conducted By: Stella Aquino Figueroa (6599) Inspector Contact Number: Work: (954) 412-7320 ex.

Print Client Name: Date: 4/14/2025

Inspector Signature:

WW.

Form Number: DH 4023 03/18 06-48-00063

Client Signature:

06-48-00063 Banyan Elementary